

AJD 33

John Deere
Mecc Alte
P 602



ISO8528	GC ;) &
SZUTEST	GC - \$\$\$
CE	

2000/14/EC

&\$\$\$#(#

z) \$ z'z' D:

	"	kw	"	kw	Amp
400/230	33,00	26,40	28,00	22,40	40,00

fP GDE

fDF DE

z & (

GC " \$ (*

Standard Specifications

z

fl ! E

z

z

fl

z

ALTERNATOR

fl

z

fl " E

fP \$\$\$ \$\$\$

fl " \$ E

TRANSFER SWITCH

fl

AJD 33

John Deere
Mecc Alte
P 602

1

Manufacturer		John Deere		
Model		3029 D		
		% \$ \$' "# "		
		31,00 kw [41,00HP]		
	L	2,900		
	"	106 X 110		
		17,2:1		
	fl # Ł	"# "	1500	
	fl "Ł	L	6,00	
		L	15,50	
AbsorbedAirDischargeReSourceKey.Text	' # "	1,80		
	' # "	81,00		
	' # "	610,00		
	° C	555,00		
		12 V d.c.		
	Load	% \$ \$i	'+) i) \$i
	# "	6,80	5,20	3,60

2

		Mecc Alte		
		ECO 28-VL/4		
	Hz	50		
	"	30,00		
7cg'		0,80		
		3		
	fl Ł	400/230		
	A	43,00		
Temperature		H		

3

		fl "Ł		fl "Ł	
	"	"	"	"	L
AJD 33	720,00	1490,00	900,00	1223,00	70,00
		fl "Ł		fl "Ł	
	"	"	"	"	L
AK 20	900	2100	960	1370	70

AJD 33

John Deere
Mecc Alte
P 602

1 D * \$ & !



- 1 A U]b'gUhi g'X]gd'Um'
- 2 8]gd'UmgVfc''Vi hrcb''
- 3 DU[Yf]bZcfa Uhjcbk'Vi hrcb''
- 4 7 ca a cb U'Ufa]bX]WUhc''
- 5 GHUhi g'@98fj''
- 6 C dYfUhc'b'gY'YVW]b['Vi hrcbg''

8G9ža cXY''\$&\$'5i hc' A U]bg: U]i fy Včbfc''a cXi 'Y'
6UHyfmVUf[Yf]bdi h%, !&*('j c'hžci rdi h''&+ž' 'j) '5'f&('j E'cf%' ž 'j c'h) 5'f&J k
9a Yf[YbVhrcd' di g\ 'Vi hrcb'UbX ž gYg Z'fVčbfc''V]fV]rg''

7 ca dcbYbrg]bghU''YX]b'g\YYhgHY''YbWcgi fy''D\cgd\UHY'WYa]WždfY!VčUhb['cZghYY''dfcj]XYg Včffcg]cb
fyg]ghUbhgi fZUW''Dc'mYgHY'Vča dcg]HY' dck XYf'rcdVčUhcZcfa g\]] \ ['cgg'UbX'YI hYa Y'mXi fUV'Y ž]b]g\''@cW\UV'Y
UbX\]b[YX'dUbY'Xccf'dfcj]XYg YUgmUWV'gg hc''Vča dcbYbrg''

'7 cblfc''dUbY''j]g'a ci bHYX'cb VUgYZUa Y k]h' ghY''ghUbX''@cW]HYX'UhHAY'f[\hig]XY'cZHY [YbYfUhc'f'gyhfK \Yb'nci
'cc_'UhHAY; Yb''GYH'Zca '5'HYfbUhc'fL

H\Y''8G9''\$&\$'j'U'ghUbXUfX'Včbfc''a cXi 'Y'Z'f'ci f [YbYfUhc'f'gYhg'i d'hc'&\$\$_J 5'UbX'ih\Ug'VYYb'XYg][bYX'hc
ghUfhUbX'ghcd'X]YgY'UbX' [Ug[YbYfUhc'f'gYhg''H\Y'8G9''\$&\$'a cXi 'Y'\Ug'VYYb'XYg][bYX'hc'a cb]rcf [YbYfUhc'f
Z'Yei YbVhžj c'ž'W'fYb'ž'Yb[]bY'c']dfYggi fyžVčc'UbhHYa dYfUhi fy'fi bb]b[\ci fg'UbX'VUHY'fmj'c'hg''A cXi 'Y
a cb]rcf'g'hAY'a U]bg'gi dd'mUbX'gk]H\ 'c] Yf'hc'hAY [YbYfUhc'f'k \Yb'hAY'a U]bg'dck Yf'ZU]g''H\Y'8G9''\$&\$'U'gc
]bX]W]HY'g'cdYfUhc'bU'ghUhi g'UbX'Z]i 'hVčbX]h]cbgž'5i hca U]W]mg\i h]b['Xck b'hAY; Yb''GYhUbX' []]b['hfi Y'žfghi d
Z]i 'hVčbX]h]cb'cZ; Yb''GYhZ]i' fy''H\Y'@7 8'X]gd'Um]bX]W]HY'g'hAY'Z]i 'H'

A]WčdfcW'ggcf'Včbfc''YX"
@7 8'X]gd'Uma U_Yg]bZcfa Uhjcb'YUgmhc'fYUX"
(!]bYž*('1'%'&d]]Y'X]gd'Um'

5i hca U]W]mif'UbgZ'fg'VYk'YYb'a U]bg'fi h]h'hc'UbX' [YbYfUhc'f'dck Yf'
A Ubi U'dfc[fUa a]b['cb'Z'cbhdUbY''
I gYf]Z]YbX'mgYH'i d'UbX'Vi hrcb''Uhc'i H'
F Ya cHY'ghUfH'
9j Ybh'c[[]b['f] h'g\ck]b['XUHY'UbX'hja Y''
7 cblfc'g' Ghcd# YgYhž'A Ubi U'ž'5i hcžHYg]žGHUf]žVi hrcbg''5b'UXX]h]cbU'di g\ 'Vi hrcb'bYI hrc'hAY'@7 8'X]gd'Um]g
i gYX'hc'gVfc''h'fci [\hAY'a cXi 'Ygfa YHYf]b['X]gd'Umg''

AJD 33

John Deere
Mecc Alte
P 602

9B: #9
9b[]bY'gdYYX"
C]'dfYggi fY"
7cc'UbhY'a dYfUhi fY"
F i b' hja Y"
6UHYfmj c'rg"
7cbZ[i fUVY' hja]b["
; 9B9F 5HCF
J c' hU[Y f@ @B' "
7i fFYbhf@&!@ ' "
: fYei YbVW"
A 5-BG
J c' hU[Y f@ @B' "
: fYei YbVW"
A U]bg'fYUXn"
A U]bg'YbUV'YX"
; Yb"GYhfYUXn"
; Yb"GYhYbUV'YX"

K 5F B-B;
7\Uf[Y Z]i fY"
6UHYfm@ck #:[\] c' hU[Y"
: U] 'hc' ghcd"
@ck #:[\] [YbYfUhc'f] c' hU[Y"
I bXYf#j Yf[YbYfUhc'f] fYei YbVW"
Cj Yf# bXYf'gdYYX"
@ck c]'dfYggi fY"
<][\ V'c'UbhY'a dYfUhi fY"
G<I H8CK BG
: U] 'hc' gHfH"
9a Yf[YbVW'ghcd"
@ck c]'dfYggi fY"
<][\ V'c'UbhY'a dYfUhi fY"
Cj Yf# bXYf'gdYYX"
I bXYf#j Yf[YbYfUhc'f] fYei YbVW"
I bXYf#j Yf[YbYfUhc'f] c' hU[Y"
C]'dfYggi fY'gYbgcf'cdYb"
7cc'UbhY'a dYfUhi fY'gYbgcf'cdYb"
9@97 HF =75@HF -D
: YbYfUhc'f] YfW'fYbH"

: 'Yi J'V'Y'gYbgcf'WVb VY V'c'bfcc'YX'k]h' h'Ya dYfUhi fYz
dfYggi fYz dYfVW'bH[Y f'k Ufb]b[#]i h'Xck b# 'YVW'VW' h'f]dL
@c'W'gYh]b['dUfUa YHfg'UbX'a cb]h'f]b['Zca 'D7 'hc
V'c'bfcc' a cXi 'Y'k]h' I G6 V'c'bbYVW]cb'fa Ul '* 'a H'

9'YVW]VW' GUZYhm#9A 7 'V'a dUfV]]hm6G'9B '* \$-) \$
9'YVW]VW' Vi g]bYgg'Yei]da YbH
6G'9B '*%\$!*&9A 7 'ja a i b]mighUbXUfX"
6G'9B '*%\$!*('9A 7 'Ya]gg]cb'ghUbXUfX

'6UHYfmVUf[Yf]g'a Ubi ZVW' fYX'k]h' 'gk]h'W]b[!a cXY'UbX'GA 8 'H'V'bc'c[mUbX'ih\Ug\] [\ YZ]VW'YbVW' 6UHYfmVUf[Yf
a cXY'gfci hdi hJ !=VUfUW'f]gh]W]g'j YfmV'cgY'hc'gei UfY'UbX'ci hdi h]g'] 'Ua dYfz% z'] 'Zcf'%&j'c'hUbX'&+Z'] 'Zcf'&'('] "
#bdi h% , ' !&* (' j c'h57 "' Dfc]bY' &(\$) \Ug'Z' "mici hdi hg\chVW]hdfchVW]cb'UbX'ihVWb VY i gYX'Ug'U'W'fYbHgc'fVW"
Dfc]bY' %&\$) #&(\$) VUf[Yf\Ug\] [\ YZ]VW'YbVW'cb["]Z'Z' "ck ZU]i fY'fUfYz'] [\ hk Y] [\ hUbX' "ck \YUhfUX]UfYX']b
UVV'cfXUbW'k]h' "]bYUf'U'fYbUf] Yg' H\Y'VUf[Yf]g'Z]h'YX'k]h' U'dfchVW]cb X]cXY'UV'cgg'h'Y'ci hdi h'7 cbbYVW'VUf[Y'Z]
fY'UmV'c] VYh'YYb'dcg]h] Y'ci hdi hUbX'7: 'ci hdi h' H\Y'mUfY'Yei]ddYX'k]h' F: =Z]h'f'hc'fYXi V'Y'YVW]VW'bc]gY'fUX]UfYX
Zca 'h'Y'XY'jVW"; Uj Ub]W' m]gc'UfYX']bdi hUbX'ci hdi h]m]VW'm(_J 'Zcf\] [\ fY']UV]]h'

AJD 33

John Deere
Mecc Alte
P 602



- 1 Steel structures
- 2 Emergency stop push button
- 3 Control panel is right side of the set.
- 4 Corrosion-resistant locks and hinges
- 5 Sump drains valves
- 6 Sound proof foam metarial
- 7 Base frame -tank

	"	960
fl "L	"	2100
fl "L	"	1370
	L	70