

AJD 45

John Deere
Mecc Alte
P 602



ISO8528	GC ;) &
SZUTEST	GC - \$\$\$
CE	

2000/14/EC

&\$\$\$#(#

z) \$ z'z' D:

	"	"	"	"	Amp
400/230	45,00	36,00	40,00	32,00	58,00

fP GDE

GC ;) &

fDF DE

%\$! % %&

GC " \$(**

z&(

GC

Standard Specifications

z

fl ! E

z

z

ALTERNATOR

fl

!

" fl " E

fl " ! \$ E

TRANSFER SWITCH

!

AJD 45

John Deere
Mecc Alte
P 602

Manufacturer		John Deere														
Model		3029 T														
		<table border="1"> <tr> <td>%</td> <td>\$</td> <td>#</td> <td>"</td> </tr> <tr> <td>(</td> <td>&</td> <td>\$</td> <td>"</td> </tr> <tr> <td>Q</td> <td>*</td> <td>\$</td> <td><DQ</td> </tr> </table>			%	\$	#	"	(&	\$	"	Q	*	\$	<DQ
%	\$	#	"													
(&	\$	"													
Q	*	\$	<DQ													
	L	2,900														
	"	106 X 110														
		17,2:1														
	fl # 7	"# "	1500													
	fl 7	L	8,50													
		L	23,00													
AbsorbedAirDischargeReSourceKey.Text	' # "	3,20														
	' # "	92,00														
fl ' # 7	' # "	7,60														
	° C	609,00														
		12 V d.c.														
	Load	%\$1	'+)1)\$1												
	# "	9,80	7,50	5,30												

		Mecc Alte		
		ECO 32-3S/4		
	Hz	50		
	"	42,50		
7cg'		0,80		
		3		
	fl 7	400/230		

		fl 7		fl 7	
	"	"	"	"	L
AJD 45	830,00	1780,00	950,00	1132,00	105,00
		fl 7		fl 7	
	"	"	"	"	L
AK 30	1050	2466	957	1390	105

AJD 45

John Deere
Mecc Alte
P 602

1 D * \$ & !



- 1 A U]b'gUhi g'X]gd'Um'
- 2 8]gd'UmgVfc''Vi hrcb''
- 3 DU[Yf]bZc:fa UhjcbE'Vi hrcb''
- 4 7 ca a cb U'Ufa]bX]WUhc''
- 5 GHUhi g'@98fg''
- 6 C dYfUhc'b'gY'YVW]b['Vi hrcbg''

8G9ža cXY''\$&\$'5i hc' A U]bg: U]i fy Věbfc''a cXi 'Y'
6UHyfmVUf[Yf]bdi h%, !&* ('j c'hžci rdi h''&+ž' J) '5'f&('J Ecf'% ž' J c'h) 5'f&J E
9a Yf[YbVhgrcd' di g\ 'Vi hrcb'UbX'ž gYg'ZfVěbfc''V]fV']rg''

7 ca dcbYbrg]bghU''YX']b'g\YYhgHY''YbWcgi fy''D\cgd\UHY'WYa]W'ždfY!VěU]b['cZghYY''dfcj]XYg Věffcg]cb
fYg]ghUbhgi fZUW''Dc'mYgHYfVěa dcg]HY' dck XYf'rcdVěUhZc:fa g\] ['cgg'UbX'YI hYa Y'mXi fUV'Y Ž]b]g\''@cV\UV'Y
UbX'\]b[YX'dUbY'Xccf' dfcj]XYg YUgmUWV'gg hc''Věa dcbYbrg''

'7 cbfbc''dUbY'']g'a ci bHYX'cb'VUgYZUa Y'k]h' ghY''ghUbX''@cWUHYX'Uhih'Y'f[\hig]XY'cZh'Y [YbYfUhc'f'gYhfk \Yb'nci
'cc_'Uhih'Y; Yb''GYH'Zca '5'HYfbUhc'fE

HV''8G9''\$&\$']g'U'ghUbXUfX'Věbfc''a cXi 'Y'Zfc'i f [YbYfUhc'f'gYhg'i d'hc'&\$\$_J'5'UbX'ih\Uj'Y'VYYb'XYg][bYX'hc
ghUfhUbX'ghcd'X]YgY'UbX' [Ug[YbYfUhc'f'gYhg''H\Y'8G9''\$&\$' a cXi 'Y'Ug'VYYb'XYg][bYX'hc'a cb]rcf [YbYfUhc'f
Z]Yei YbVěž'j c'ž'W'fYb'ž'Yb[]bY'c]'dfYggi fyžVěc'UbhiYa dYfUhi fy'fi bb]b[\ci fg'UbX'VUHY'fmj'c'hg''A cXi 'Y
a cb]rcf'g'h'Y a U]bg'gi dd'mUbX'gk]hW'c] Yf'hc'h'Y [YbYfUhc'f'k \Yb'h'Y a U]bg'dck Yf'ZU]g''H\Y'8G9''\$&\$'U'gc
]bX]WUHY'g'cdYfUhc'bU'ghUhi g'UbX'ZU'i hVěbX]h'cbgž'5i hca U]hW'mg\i h]b['Xck b'h'Y; Yb''GYhUbX'[]]b['hfi Y'Z]fghi d
ZU'i hVěbX]h'cb'cZ; Yb''GYhZU]i fy''H\Y'@7'8'X]gd'Um]bX]WUHY'g'h'Y'ZU'i 'H'

A]WědfcW'ggcf'Věbfc''YX''
@7'8'X]gd'Uma U_Yg]bZc:fa Uhjcb'YUgmhc'fYUX''
(!']bYž*('1'% &d]]Y'X]gd'Um'

5i hca U]hW'mifUbgZ'fg'VYh'YYb'a U]bg'fi h]h'hc'UbX' [YbYfUhc'f'dck Yf'
A Ubi U'dfc[fUa a]b['cb'ZcbhdUbY''
I gYf]Z]YbX'mgYH'i d'UbX'Vi hrcb''Uhc'i H'
: fcbhdUbY'dfc[fUa a]b[''
F Ya cHY'ghUfH'
9j Ybh'c[[]b['f%\$kg\ck]b['XUHY'UbX'h'a Y''
7 cbfbc'g' Ghcd#F YgYh'Z' A Ubi U'ž'5i hc'ž'HYgh'GHUf'z'Vi hrcbg''5'b'UXX]h'cbU'di g\ 'Vi hrcb'bYI hrc'h'Y'@7'8'X]gd'Um]g
i gYX'hc'gVěc''h'fci [\ h'Y'a cXi 'Yg'fia YHY'f]b['X]gd'Um]g''

AJD 45

John Deere
Mecc Alte
P 602

9B: #9
9b[]bY'gdYYX"
C]'dfYggi fY"
7cc'UbhY'a dYfUhi fY"
F i b' hja Y"
6UHYfmj c'rg"
7cbZ[i fUVY' hja]b["
; 9B9F 5HCF
J c' hU[Y f@ @B E'
7i ffYbh f@ @ E'
: fYei YbVWt
A 5-BG
J c' hU[Y f@ @B E'
: fYei YbVWt
A U]bg'fYUXnt
A U]bg'YbUV'YX"
; Yb"GYhfYUXnt
; Yb"GYhYbUV'YX"

K 5F B-B;
7\Uf[Y Z]i fY"
6UHYfm@ck #][\] c' hU[Y"
: U] h' ghcd"
@ck #][\ [YbYfUhc f' j c' hU[Y"
I bXYf#j Yf[YbYfUhc f' ZYei YbVWt
Cj Yf# bXYf'gdYYX"
@ck c]'dfYggi fY"
<][\ Vtc'UbhY'a dYfUhi fY"
G<I H8CK BG
: U] h' ghUfH
9a Yf[YbVW'ghcd"
@ck c]'dfYggi fY"
<][\ Vtc'UbhY'a dYfUhi fY"
Cj Yf# bXYf'gdYYX"
I bXYf#j Yf[YbYfUhc f' ZYei YbVWt
I bXYf#j Yf[YbYfUhc f' c' hU[Y"
C]'dfYggi fY'gYbgcf'cdYb"
7cc'UbhY'a dYfUhi fY'gYbgcf'cdYb"
9@97 HF =75@HF D
: YbYfUhc f' c' j YfW ffYbH


: 'YI J'V'Y'gYbgcf'WVb VY Vcbfc'YX'k]h' h'Ya dYfUhi fYz
dfYggi fYz dYfVW'bH[Y f'k Ufb]b[#]i h'Xck b# 'YVW'VW' h'f]dE
@c'W'gYh]b['dUfUa YHfg'UbX'a cb]h'f]b['Zca 'D7 h'
Vcbfc' a cXi 'Y'k]h' I G6 VcbbYVW'cb'fa Ul '* 'a H'

9'YVW'VW' GUZYhm#9A 7 'Vta dUHV']hm6G'9B '* \$-) \$
9'YVW'VW' Vi g]bYgg'Yei]da YbH
6G'9B '*%\$!*&9A 7 'ja a i b]mighUbXUfX"
6G'9B '*%\$!*('9A 7 'Ya]gg]cb'ghUbXUfX"

'6UHYfmVUf[Yf]g'a Ubi ZVW' fYX'k]h' 'gk]h'W]b[!a cXY'UbX'GA 8 'YVW'bc'c[mUbX'ih\Ug\][\ YZ]VbYVW' 6UHYfmVUf[Yf
a cXY'gfci hdi hJ !=VUfUW'f]gh]W]g'j YfmVc'gY'hc'gei UfY'UbX'ci hdi h]g']'Ua dYfz% z']'Zcf'%&j'c'hUbX'&+Z']'Zcf'&'(]'
#bdi h% , ' !&* (j c'h57 "'Dfc]bY'&(\$) \Ug'Z 'mici hdi hg\chVW]hdfchVW]cb'UbX'ihVWb'VY'i gYX'Ug'U'W'ffYbhgci fVW"
Dfc]bY'&(\$) #&(\$) VUf[Yf\Ug\][\ YZ]VbYVW'cb[']Z'Z'ck ZU]i fY'fUfYz'][\hk Y][\hUbX'ck \YUhfUX]UfYX']b
UVVcfXUbW'k]h']'bYUf'U'HYfbU]j Yg' H\Y'VUf[Yf]g'Z]h'YX'k]h' U'dfchVW]cb X]cXY'UV'cgg'h'Y'ci hdi h'7 cbbYVW'VUf[Y'Z]
fY'UmVc] VYhk YYb'dcg]h]j Y'ci hdi hUbX'7: 'ci hdi h' H\Y'mUfY'Yei]ddYX'k]h' F: =Z]h'f'hc'fYXi VV'Y'YVW'VW'bc]gY'fUX]UfYX
Zca 'h'Y'XY'jVW'; Uj Ub]W' m]gc'UfYX']bdi hUbX'ci hdi h]m]VW'm(_J 'Zcf\][\ fY']UV]]m'

AJD 45

John Deere
Mecc Alte
P 602



- 1 Steel structures
- 2 Emergency stop push button
- 3 Control panel is right side of the set.
- 4 Corrosion-resistant locks and hinges
- 5 Base frame -fuel tank.
- 6 Lockable, large doors on each side.
- 7 Lifting Points

	"	957
fl "L	"	2466
fl "L	"	1390
	L	105